

### To,

### The Additional Director (S), Ministry of Environment and Forest and Climate Change Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Line, Nagpur, Maharashtra - 440001

- : Submission of Six Monthly Post Environmental Clearance Compliance Report for period of October 2023 to March 2024 for Proposed Residential Cum Subject Commercial Building at Survey No. 133/1,133/2/A/1, 133/2/2, 133/2/3, 134/12 ,135/6/A &135/5bVillage - Temghar, Taluka - Bhiwandi, District-Thane, Mumbai and State-Maharashtra by M/s Padmadisha Paradise.
- Reference : Environment Clearance Letter vide EC Identification No. -EC23B038MH110874 dated 27-09-2023

Dear Sir,

With reference to the above subject, we are submitting herewith the Current Status, monitoring reports, data sheet and point wise compliance status to the various stipulations laid down by the SEIAA, Environment Dept. Maharashtra in its clearance letter vide EC Identification No. -EC23B038MH110874 dated 27-09-2023 for period of October 2023 to March 2024.

This is for your kind consideration and records. Kindly acknowledge the same.

For PADMADISHA PARA

Thanking you,

Yours Faithfully,

For, Padmadisha Paradise.



# (Authorized Signatory)

Encl:

Part A: Current Status Part B: Point Wise Compliance Status Part C: Data sheet Part D: Annexures

# PART –A

# **CURRENT STATUS OF WORK**

# PART –B

# **POINTWISE COMPLAINCE**

	e compliance status to various stipulations lai vide EC Identification No. EC23B038MH11087	
	onditions	4 dated 27-09-2025 are as follows.
1	Conditions:	
1		
1	PP to submit the copy of IOD/IOA/Concession Documents/Plan	
	Approval or any other form of documents	
	as applicable clarifying its conformity with	Noted and complied.
	local planning rules and provisions as per	
	the circular dated 30.01.2014 issued by the	
	Environment department, Govt.of	
	Maharashtra.	
2	PP to use advance technologies for dust	
	suppression in addition to sprinkling of	Noted.
	water in construction phase and include the	
	cost of same in construction phase EMP.	
3	PP to submit revised water balance chart by	
	changing/removing the use of excess	
	treated water for car washing; PP to reduce	
	discharge of treated water upto 35%;PP to	Noted and complied.
	submit undertaking from concerned	
	authority/agency/third party regarding	
	excess treated water.	
4	PP to submit plan to reduce retrieval time	
	for evacuation of both vehicles and human	Noted and complied.
	population in case of disaster.	
5	PP to explore 10% RG area in to Miyawaki	
	Plantation and include the cost of same in	
	EMP;PP to revise tree list including trees to	Noted.
	be planted in Miyawaki plantation to submit	Noted.
	details of the total no. of trees after	
	development.	
6	Planning authority to ensure that assured	
	water supply, sewer and storm water	
	drainage network is made available in the	Noted.
	vicinity of the project before issuing	
	occupation certificate to the project.	
7	PP to submit revised Architect Certificate	
	with Chronology of building approvals i.e	
	CC's, OC's received and building wise, FSI,	Noted and complied.
	Non-FSI area wise, configuration wise	· · · · · · · · · · · · · · · · · · ·
	construction done on site.	
SEIAA	Conditions:	1
	<u>conditions.</u>	
1	PP has provided mandatory RG area of	
	929.20 $m^2$ on mother earth without any	
	construction. Local Planning authority to	Noted.
	ensure the compliance of the same.	
2	PP to keep open unpaved so as to ensure	
-	permeability of water. However, whenever	Noted and will be complied.

	paving is deemed necessary, PP to provide	
	grass pavers of suitable types & strength to	
	increase the water permeable are as well as	
	to allow effective fire tender movement.	
3	PP to achieve at least 5% of total energy	
	requirement from solar/other renewable	Noted and complied.
	sources	
4	PP shall comply with Standard EC	
	conditions mentioned in the Office	Noted and complied.
	Memorandum issued by MoEF& CC vide	Noted and complied.
	F.NO.22-34/2018-IA III dt.04.01.2019.	
4	SEIAA after deliberation decide to grant EC	
	for FSI area of 25092.77 m <sup>2</sup> , Non FSI area	
	$16150.31m^2$ and total BUA of 41243.08 m <sup>2</sup>	Noted
	(Plan approval No- outward no 111/2022-	
	23/TPD-2085 dated 12.07.2023)(Restricted	
	as per approval)	
	Condition	
<u>a) Constr</u> 1	ruction Phase:	
1	The solid waste generated should be	The Solid waste generated from project site
	properly collected segregated. Dry/inert	will be collected separately for dry and wet
	solid waste should be disposed of to the	waste. Wet waste will be treated in the
	approved sites for filling after recovering	composting machine and used as manure
	recyclable material.	within the premises Dry waste will be handed
TT	Dismogal of music construction spails	over Authorized recycler Excavated material and construction waste
II	Disposal of musk, construction spoils, including bituminous material during	
	including bituminous material during construction phase should not create any	material generated on site will be used for levelling and backfilling within project site.
	adverse effect on the neighbouring	levening and backrining within project site.
	communities and be disposal taking the	
	necessary precautions for general safety and	
	health aspect of people, only in the approval	
	sites with the approval of competent	
	authority.	
III	Any hazardous waste generated during	No any hazardous waste was generated during
	construction phase should be disposal of as	construction phase.
	per applicable rules and norms with	1
	necessary approvals of the Maharashtra	
	Pollution Control Board.	
IV	Adequate drinking water and sanity	Yes, Regularly supply of drinking water is
	facilities should be provide for construction	made available on site.
	workers at the site. Provision should be	Mobile toilets are provided on site for workers.
	made for mobile toilets. The safe disposal	Solid waste generated is collected separately
	of wastewater and solid wastes generated	for dry & wet waste & handed over to
	during the construction phase should be	authorized vendor.
	ensured.	
V	Arrangement shall be made that wastewater	Separate network for storm water and
	and storm water do not get mixed.	sewerage drain is provided.
<b>T</b> 7 <b>T</b>		
VI	Water demand during constructions should	We are using premixed concrete to reduce

	curing agent and other best practices.		
VII	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	There is no use of ground water envisaged in the project area. Therefore, this condition is not applicable to the project.	
VIII	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	There is no use of ground water envisaged. In the project area.	
IX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Low flow fixtures are used for showers, toile flushing and drinking used of aerators or pressure reducing devices or sensor-based control.	
Х	The energy Conservation Building code shall be strictly adhered to.	Noted.	
XI	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	Noted.	
XII Additional soil for levelling of the proposed site shall be generated within the sites (to		Noted.	
XIII	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metal and other toxic contaminants.	Soil analysis report is attached as <b>Annexure-1</b> . There is no use of ground water envisaged in the project area.	
XIV	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Noted.	
XV	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standard.	No diesel generator sets will be used during the construction phase. Electricity required will be procured from the local electricity supply department.	
XVI	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highway Department. The vehicle shall be adequately covered to avoid spillage/ leakage.	Noted and is being complied.	
XVII	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measure should be made to	Noted. Ambient air and noise Monitoring report as Annexure-1	

	reduce ambient air and noise level during	
	construction phase, so as to conform to the	
	stipulated standards by CPCB/MPCB.	
XVIII	Diesel power generating sets proposed as	
	source of backup power for elevators and	
	common area illumination during	
	construction phase should be of enclosed	
	type and conform to rules made under the	
	Environment (Protection) Act, 1986. The	
	height of stack of DG sets should be equal	Noted
	to the height needed for the combined	
	capacity of all proposed DG sets. Use low	
	sulphur diesel is preferred. The location of	
	the DG sets may be decided with in	
	consultation with Maharashtra Pollution	
	Control Board.	
XIX	Regular supervision of the above and other	Regular supervision of the above and other
	measure for monitoring should be in place	measures for monitoring is being supervised
	all through the construction phase, so as to	by Project Engineer and qualified supervisors.
	avoid disturbance to the surrounding by a	
	separate environment cell / designated	
	person.	
b) Opera	<u>tion Phase; -</u>	
Ι	a) The solid waste generated should be	
	properly collected and segregated. b) Wet	
	waste should be treated by Organic Waste	
	Converter and treated waste (manure)	
	should be utilized in the existing premises	Noted and will be complied.
	for gardening. c) Dry/inert solid waste	
	should be disposed of to the approved sites	
	for land filling after recovering recyclable	
	material.	
II	E-waste shall be disposal through	As this is a residential project negligible E
	Authorized vendor as per E-waste	waste generation is expected.
	(Management and Handling) Rules, 2016.	Generated E-waste shall be disposal throug
		Authorized vendor as per E-wast
TTT		(Management and Handling) Rules, 2016.
III	a) The installation of the Sewage Treatment	
	Plant (STP) should be certified by an	
	independent expert and a report in this	
	regard should be submitted to the MPCB	
	and Environment department before the	
	project is commissioned for operation.	Noted and will be complied.
	Treated effluent emanating from STP shall be recycled/ reused to the maximum extent	_
	The recycled/ reused to the maximum extent	
	possible. Treatment of 100% grey water by	
	possible. Treatment of 100% grey water by decentralized treatment should be done.	
	possible. Treatment of 100% grey water by	

	to give 100% treatment to sewage /Liquid	
	waste and explore the possibility to recycle	
	at least 50% of water, Local authority	
	should ensure this.	
IV	Project proponent shall ensure completion	
	of STP, MSW disposal facility, green belt	
	development prior to occupation of the	
	buildings. As agreed during the SEIAA	
	meeting, PP to explore possibility of	
	utilizing excess treated water in the adjacent area for gardening before discharging it into	Noted and will be complied.
	sewer line No physical occupational or	
	allotment will be given unless all above said	
	environmental infrastructure is installed and	
	made functional including water	
	requirement.	
V	The Occupancy Certificate shall be issued	
	by the Local Planning Authority to the	
	project only after ensuring sustained	
	availability of drinking water, connectivity	Noted.
	of sever line to the project site and proper disposal of treated water as per	
	environmental norms.	
VI	Traffic congestion near the entry and exit	
	points form road adjoining the proposed	Internal parking is provided so there is no
	project site must be avoided. Parking should	utilization of public space.
	be fully internalized, and no public space	We have provided parking as per DCR rules.
VII	should be utilized.	
VII	PP to provide adequate electric charging points for vehicles (EVs).	Noted and will be complied.
VIII		Green Belt Development is carried out
, 111	Green Belt Development shall be carried	considering CPCB guidelines including
	out considering CPCB guidelines including selection plan species and in consultation	selection of plant species and in consultation
	with the local DFO/Agriculture Dept.	with the local Landscape consultant/
		DFO/Agriculture Dept.
IX	A separate environment management cell	
	with qualified staff shall be set up for	Noted and will be complied.
	implementation of the stipulated environment safeguards.	
X	Separate funds shall be allocated for	Agree to Comply with,
	implementation of environment protection	We are submitting herewith funds allocated for
	measure/EMP along with item-wise break-	Environmental Management Plan (EMP).
	up, These cost shall be included as part of	<b>During Construction phase</b> : 5.44 lacs
	the project cost. The funds earmarked for	During operational Phase:
	the environment protection measure shall	EMP Capital Cost is 120.23 lacs
3/1	not be diverted for other purpose.	EMP Recurring Cost is 35.05 lacs/Annum
XI	The project management shall advertise at	Coning of the advantigement are Attached
	least in two local newspaper widely	Copies of the advertisement are Attached as
	circulated in the region around the project,	Annexure-2

XII	language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.inA copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if	Noted and complied.
	any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
XIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically, It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SOM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are submitting six monthly reports regularly along with necessary documents.
C) General	EC Conditions: -	
Ι	PP has to Strictly abide by the condition stipulated by SEAC & SEIAA.	We shall abide by the conditions stipulated by SEAC & SEIAA
II	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Applied.
III	Under the provision of Environment (Protection) Act 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environment clearance.	We have not started construction work prior to the environment clearance; We have obtained the environment clearance vide EC Identification No EC23B038MH110874 dated 27-09-2023 Copy of the same is attached as <b>Annexure-3</b>
IV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard	Noted and complied.

	copies as well as by e-mail) to the respective Regional Office of MoEF of MoEF, the respective Zonal Office of CPCB and the SPCB.	
V	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986, as amended subsequently. Shall also be put on the website of the company along with the status of compliance of EC conditions and shall be send the respective Regional Offices of MoEF by e-mail.	Noted and complied.
VI	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures requires, if any.	Noted and complied.
VII	This environmental clearance is issued subject to obtaining NOC from Forestry & Wildlife angle including clearance from the standing committee of the National Board for Wildlife as if applicable & this environmental clearance does not necessarily implies that Forestry & Wildlife clearance granted to the project which will be considerable separately on merit.	Noted
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law, and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	No court case pending against us.
5	This Environmental Clearance is issued purely from an environment point of view	Noted.

	without prejudice to any court cases and all	
	other applicable permissions/NOCs shall be	
	obtained before starting proposed work at	
	site.	
6	In case of submission of false document and non-compliance of stipulated conditions, Authority/Environment Department will revoke or suspend the Environmental Protection Act, 1986.	Noted.
7	Validity of Environmental Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.	Noted.
8	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Waste (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Noted & agreed.
9	Any appeal against Environment Clearance shall lie with the National Freen Tribunal (Western Zone Bench, Pune), New Administrative Building, 1 <sup>st</sup> Floor. D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted & agreed.

# PART - C

# **DATA SHEET**

# DATA SHEET

1	Pro	ject type: River-		
1			Building & Construction Project	
	Valley/Mining/Industry/Thermal/Nuclear/ Other (specify).		Building & Construction Project	
2	Nai	me of the project	Proposed Residential Cum Commercial Building	
3	Cle	earance letter (s)/OM No. and date	EC Identification No EC Identification No EC23B038MH110874 dated 27-09-2023	
4	Lo	cation:		
	а	District (s)	Thane	
	b	State (s)	Maharashtra	
	c	Latitude/Longitude	Latitude:19 <sup>0</sup> 16'21.82"N	
			Longitude:73 <sup>0</sup> 4'47.56"E	
5	Ad	dress for correspondence.		
	a	Address of the Concerned Diviset	M/s PADMADISHA PARADISE	
		Address of the Concerned Project	Ashok Nagar, Building No.8A-001,	
		Chief Engineer (with Pin Code &	Kalyan Road, Post Dandekarwadi, Bhiwandi,	
		telephone/telex/fax numbers)	District-Thane,Maharashtra.	
	b	Address of Executive Project:	M/s PADMADISHA PARADISE	
		Engineer/Manager (with pin code/ Fax	Ashok Nagar, Building No.8A-001,	
		numbers)	Kalyan Road, Post Dandekarwadi, Bhiwandi,	
		numbers)	District-Thane,Maharashtra.	
6	Sal	lient features		
	a)		This is a proposed residential project. The design of	
		Of the project	this project and utilities is thoroughly planned with	
		Of the project	the objectives of providing facilities to the people	
			and keeping in mind the sustainable development.	
	b)		Sewage Treatment Plant(STP)	
			1 STP of capacity 286 KLD having MBBR	
			Technology is proposed.	
		Of the Environmental management	Solid Waste Management	
		plans	1 OWC of capacity 700 Kg/day is proposed.	
		Preside and a second seco	Rain Water Harvesting	
			3 Nos. of Rain water harvesting Pits are proposed.	
			Capacity of Rain water harvesting Pits :43.83	
	_		cum/day	
7		eakup of the project area.		
	a)	Submergence area: forest and non-	Non-Forest	
		Forest		
	b)	Others	Total Plot Area : $10,162.08 \text{ m}^2$	
			Total Built-up Area: 41243.08 m <sup>2</sup>	

8	Break	sup of the project affected population	N. A.
	with	enumeration of those losing	
	house	es/dwelling units only agricultural	
	land	only Both dwelling units only	
	agricu	ultural land only Both dwelling units	
	&	agricultural land & landless	
	labou	rers/artisans:	
	a) SC	, ST/Adivasi	N. A.
	b) Ot	hers	N. A.
9	Finan	cial details:	
	a)	Project cost as originally planned	Rs.1470 Crores
	,	and subsequent revised estimates	
		and the year of price reference	
	b)	Allocation made for environmental	
	/	management plans with item wise	
		and year wise and break-up	
	c)	Benefit cost ratio/Internal rate of	
	,	Return and the year of assessment	
	d)	Whether © includes the cost of	
	,	environmental management as	
		shown in the above.	
	e)	e) Actual expenditure incurred on	
		the project so far.	
	f)	Actual expenditure incurred on the	
		environmental management plan so	
		far.	
11	For	est land requirement	
	- )	The status of approvals for diversion	N. A
	a)	of forest land for non-forestry use.	N. A.
	b)	The status of clearing felling	N. A.
	c)	The status of compensatory	N. A.
		afforestation, if any	N. A.
		Comments on the viability &	
	d)	Sustainability of compensatory	N.A
	u)	afforestation programme in the light	
		of actual field experience so far.	
11	The s	tatus of clear felling in non-forest	
	areas	(Such as submergence area or	N. A.
		voir, approach Roads.), if any with	11. 7.
	Quan	titative information	
12	Statu	s of construction (Actual &/or	No work is initiated on site
	plann	ed)	
			1

	a) Date of commencement (Actual &/or		
	plan	ined)	
	b) D	Date of completion (Actual &/or	15/09/2028
	plan	ined)	13/03/2028
13	Reason for the delay if the project is yet to		NL A
	star	t. N. A.	
14	Date	e of site visits	
	a	The dates on which the project was	
		monitored by the regional office on	
	previous occasions, if any.		
	b	Date of site visit for this monitoring	11-03-2024
	U	report	11-03-2024

# ANNEXURE-1 MONITORING REPORTS



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL & IQAS Accredited, FSSAI and MoEF Recognised Testing Laboratory

### **TEST REPORT**

Issued To: M/s Proposed Residential Cum Commercial Building Survey No. 133/1,133/2/A/1, 133/2/2, 133/2/3, 134/12 135/6/A &135/5b Village - Temghar, Taluka - Bhiwandi, District-Thane by M/s Padmadisha Paradise.

Report No.	CEFT 2403 1197	Report Date	16.03.2024
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by	Nil	Date of sampling	11.03.2024
Customer Sampling Location	Within Premises	Date of Sample Receipt	12.03.2024
Sample Collected By	Lab Person	Sample I.D.	CEFT GEN 2403 1197
Sample Concedure	As per SOP	Date of test	12.03.2024-16.03.2024

TECHNICAL DATA				
Location of Sampling Station	Project site			
	Respirable Dust Sampler			
	Ambient Air Sample			
	39 °C			
	Max temp. 40 °C			
	Min temp. 29 °C			
	Clear sky and wind direction west to east			
Flow Rate of Sampling	0.5 LPM			
	480Minutes			
	$0.24 \text{ m}^3$			
	Location of Sampling Station Instrument Used for Sampling Source of Sampling Temperature of Sampling Location Environmental Condition Flow Rate of Sampling Time Period for Sampling Volume of Air Sampled			

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter( PM10 )	90	100.0 μg/m <sup>3</sup>	IS 5182 (Part-23)
2.	Sulphur dioxide (SO <sub>2</sub> )	15	80.0 μg/m <sup>3</sup>	IS 5182 (Part-2)
3.	Nitrogen dioxide (NO <sub>2</sub> )	34	80.0 μg/m <sup>3</sup>	IS 5182 (Part-6)
4.	Fine particulate matter (PM <sub>2.5</sub> )	44	60.0 μg/m <sup>3</sup>	IS 5182 (Part-24)
5.	CO ( One Hours)	ND	$2.0 \text{ mg/m}^3$	IS 5182 (Part-10)
5. 6.	Nickel (Ni)	ND	20.0 ng/m <sup>3</sup>	IS 5182 (Part-22)
7.	Arsenic (As)	ND	6.0 ng/m <sup>3</sup>	IS 5182 (Part-22)
8.	Lead (Pb)	ND	$1.0 \ \mu g/m^3$	IS 5182 (Part-22)
9.	Banzene (C <sub>6</sub> H <sub>6</sub> )	ND 🥖	5.0 μg/m <sup>3</sup>	IS 5182 (Part-11)
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m <sup>3</sup>	IS 5182 (Part-12)
11.	Ammonia (NH <sub>3</sub> )	ND	400.0 μg/m <sup>3</sup>	IS 5182 (Part-25)
12.	Ozone (O <sub>3</sub> )	ND	100.0 μg/m <sup>3</sup>	IS 5182 (Part-9)

Note: ND denotes NOT Detectable

Page No.1/1

#### \*End of Report\*

Branch Office-111A, Sunder Enclave,First Floor, Near maa Shimla Homes,Opposite radha swami Satsung Bhawan, Kharar, Mohali,Punjab-140301



Note : 1. The test results are related to the sample/ tested as identified.

- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.

5. The Court Jurisdiction will be Delhi.

6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL & IQAS Accredited, FSSAI and MoEF Recognised Testing Laboratory

# **TEST REPORT**

Issued To: M/s Proposed Residential Cum Commercial Building Survey No. 133/1,133/2/A/1, 133/2/2, 133/2/3, 134/12 135/6/A &135/5b Village - Temghar, Taluka - Bhiwandi, District-Thane by M/s Padmadisha Paradise.

Report No.	CEFT 2403 1198	Report Date	16.03.2024
Your Ref. No	NIL	Type of sample	Ambient Noise
Sample Code Given by Customer	NIL	Date of Monitoring	11.03.2024
Sampling Location	Within Premises		
Sample Monitored By	Lab Person	Sample I.D.	CEFT GEN 2403 1198
Sampling procedure	As per SOP	Date of test	12.03.2024

Sr. No.	Location	Results dB(A)Leq	Standards dB(A)Leq	Test Method	
1	Project site	67.1	75(DAY) As per Rule 2010	IS 9989	

Page No.1/1

#### \*End of Report\*

Branch Office-111A, Sunder Enclave, First Floor, Near maa Shimla Homes, Opposite radha swami Satsung Bhawan, Kharar, Mohali, Punjab-140301



Note : 1. The test results are related to the sample/ tested as identified.

- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.

4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.

5. The Court Jurisdiction will be Delhi.

6. Customer complaint register is available at the laboratory.

Regd. Address - Bldg. No. 17, 1st & 2nd Floor, DLF Industrial Area, Moti Nagar, New Delhi - 110015 Ph.: - 011-45012722 Email: info@ceftlab.com



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL & IQAS Accredited, FSSAI and MoEF Recognised Testing Laboratory

# **TEST REPORT**

Issued To: M/s Proposed Residential Cum Commercial Building Survey No. 133/1,133/2/A/1, 133/2/2, 133/2/3, 134/12 135/6/A &135/5b Village - Temghar, Taluka - Bhiwandi, District-Thane by M/s Padmadisha Paradise.

Report No.	CEFT 2403 1199	Report Date.	16.03.2024	
Your Ref. No.	Nil			
		Type of sample	Soil Natural	
Type of soil	Sandy loam and Brownish in colour	Quantity	1 Kg	
		Date of sampling	11.03.2024	
Sampling Location	Project site	Date of sample receipt	12.03.2024	
Sample Collected By	Lab Person	Sample I.D.	CEFT GEN 2403 1199	
Sampling procedure	As per SOP			
		Date of test	12.03.2024-16.03.2024	

SR. NO.	PARAMETERS	UNITS OF MEASUREMENT	RESULT	TEST METHODS
1.	Colour		Brownish	IS:2720
2.	pH		7.14	1S:2720(Pt.26)2007
3.	Conductivity (EC)	micro mhos/cm at 25°C (Soil Water Ratio- 1:2)	490	IS:14767:2000
4.	Moisture Content	%	12.5	USDA:1954/Reaff.2010 Page 107
5.	Bulk Density	gm/cm <sup>3</sup>	1.51	USDA:1954/Reaff.2010 Page 121
6.	Water Holding Capacity (WHC)	%	44	USDA:1954/Reaff.2010 Page 39
7.	Texture		Sandy Loam	USDA:1954/Reaff.2010 Page 30
8.	Sand	%	52	USDA:1954/Reaff.2010 Page 30
9.	Silt	%	26	USDA:1954/Reaff.2010 Page 30
10.	Clay	%	22	USDA:1954/Reaff.2010 Page 30
11.	Organic Carbon	0/0	0.21	IS:2720:USDA-2010
12.	Total Kjeldahl Nitrogen(Available)	Kg/ha	31	IS:2720:USDA-2010
13.	Cation Exchange Capacity	0%	0.07	USDA:1954/Reaff.2010 Page101 IS: 2720(Pt. 24)1976/Reaff.2005
14.	Lead	Mg/Kg	0.92	Lab SOP

Page No.1/1

#### \*End of Report\*

Branch Office-111A, Sunder Enclave,First Floor, Near maa Shimla Homes,Opposite radha swami Satsung Bhawan, Kharar, Mohali,Punjab-140301



Note : 1. The test results are related to the sample/ tested as identified.

2. The sample will be discarded after retention time of 7 days unless otherwise specified.

3. Any Discrepancy found in the test report may be communicated within seven days.

4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.

5. The Court Jurisdiction will be Delhi.

6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL & IQAS Accredited, FSSAI and MoEF Recognised Testing Laboratory

# **TEST REPORT**

Issued To: M/s Proposed Residential Cum Commercial Building Survey No. 133/1,133/2/A/1, 133/2/2, 133/2/3, 134/12 135/6/A &135/5b Village - Temghar, Taluka - Bhiwandi, District-Thane by M/s Padmadisha Paradise.

Report No:-	CEFT 2403 1200	Report Date	16.03.2024	
Sample Code Given by Customer	Nil	Type of sample	Drinking Water	
		Quantity	02 LITER	
		Date of sampling	11.03.2024	
Sampling Location	Project site	Date of sample receipt	12.03.2024	
Sample Collected By	Lab Person	Sample I.D.	CEFT GEN 2403 1200	
Sampling procedure	As per SOP	Date of test	12.03.2024-16.03.2024	

S.	Parameters	Results	Limits of I	S: 10500 - 2012	Test method
No.			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1 pH		7.19	6.5 - 8.5	No relaxation	IS 3025 (Part-11)
2 Total Di	ssolved Solids mg/l Max	214	500	2000	IS 3025 (Part-16)
	ty ( as CaCO <sub>3</sub> )mg/l ,Max	32	200	600	IS 3025 (Part-23)
	e (as Cl), mg/l, Max	18	250	1000	1S 3025 (Part-32)
	e (as SO <sub>4</sub> ) mg/l, Max	06	200	400	IS 3025 (Part-24)
	(as Ca) mg/l Max	13	75	200	IS 3025 (Part-40)
	ium (as Mg) mg/l, Max	3.7	30	100	IS 3025 (Part-46)
	ardness( as CaCO <sub>3</sub> )mg/l, Max	48	200	600	IS 3025 (Part-21)
	(as Na) mg/l Max	06		-	IS 3025 (Part-45)
	im (as K) mg/l Max	1.5			IS 3025 (Part-45)
	(as NO <sub>3</sub> ) mg/l, Max	2.3	45	No relaxation	IS 3025 (Part-34)
	e (as F) mg/l Max	ND	1.0	1.5	APHA 4500F (D)
	Fe) mg/l Max	0.12	0.3	No relaxation	IS 3025 (Part-53)
acteriological	Examination:-				

S. NO.	PARAMETERS	TEST RESULTS	LIMITS	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 15185:2016
2	Coliform /100ml	ABSENT	ABSENT	IS 15185:2016

Note: ND Denotes Not Detectable (This Water Sample confirm to IS 10500:2012)

Page No.1/1

#### \*End of Report\*

Branch Office-111A, Sunder Enclave,First Floor, Near maa Shimla Homes,Opposite radha swami Satsung Bhawan, Kharar, Mohali,Punjab-140301



Note : 1. The test results are related to the sample/ tested as identified.

2. The sample will be discarded after retention time of 7 days unless otherwise specified.

3. Any Discrepancy found in the test report may be communicated within seven days.

4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.

5. The Court Jurisdiction will be Delhi.

6. Customer complaint register is available at the laboratory.



# **ANNEXURE-2**

# **NEWSPAPER ADVERTISEMENT**

#### PUBLIC NOTICE

Take Notice that SHRI AS SUDHRAM YADAV, SHRI AHADUR CHANDRAPAL , SHRI SHOBHANATH RAPAL YADAV & SHRI TH CHANDRAPAL YADAV has o sale their share in the land inticularly described in the hereunder to my client.

son having any claim, right, title lerest therein or any part thereof lature of sale, lease, gift, ge, assignment, trust, lent right, charge, legacy, lien any other manner or authority, rid their written objections duly ed by documents to the led at the address indicated low within 14 days from the blication of these notice. leance of any claim deal will be

awithout any further notice or to such claim, if any, presuming /all such claim have been eably relinquished.

LEABOVE REFERRED TO T piece and parcel of Land No. 20/1/5 totally admeasuring HR out of which land ing 0-20-24 HR situated at rdal, Tal. Vasai, Dist. Palghar.

Sd/-A. Sanghavi, Advocate 3, Purvee Chambers, Mahanagar Palika Office, on Road, Vasal (West).

### Public Notice

All the concerned persons including bonafied residents, environmental groups and others are hereby informed the Department of Environmental Government of Maharashtra has accorded Environmental clearance for Proposed Residential and Commercial Development Project at S. No. 133/1, 133/2/A/1, 133/2/2, 133/2/3, 134/12, 135/6/A & 135/5B at Village Temghar, Taluka Bhiwandi, District Thane under EC letter No. SIA/MH/INFRA2/420990/2023. The Copy of Clearance letter is available with the Maharashtra State Pollution Control Board may also be seen on the website at http://www.ec.mcpcb.in and PARIVESH portal.

OFFICE OF NAGAR PARISHAD ICHHAWAR DIST. SEHORE

### **Notice Inviting Tender**

#### 5.No.678 (2nd Call) Ichhawar, Date 14.06.2024 Online bids (LUMPSUM) are invited from registered contractors/firms of repute for work of Interception & Diversion of Nallahs with STP works Project of Ichhawar town under SBM 2.0, NIT: 2024\_UAD\_351342\_1 date: 15.06.2024 Probable amount Rs. 416.48 Lacs, EMD Rs. 208241.00 cost of bid document Rs 15000 /-, Last date and time of submission of bid : 05.07.2024 & time: 17:30 Hrs, All other details are published on website **www.mptender.gov.in**, Further information or clarification ( if any) shall be published on website only, and not in Newspaper.

a police offici motorcycle-t sons alleged bovine's body the temple p the wee hour which led to the town loca lam district, a cials. Four per subsequently for hurting rel sentiments an fences, police



#### **EVMs** in

He added that apply to US a "where they u platforms to I nected voting

# **ANNEXURE-3**

# **ENVIRONMENT CLEARANCE**

ENVIRONMENTAL CLEARANCE	Ministry of Environme (Issued by the State En Authority(SE)To,The Partner PADMA-DISHA PARADISE	rnment of India ent, Forest and Climate Change nvironment Impact Assessment IAA), MAHARASHTRA) Nagar, Kalyan Road, Bhiwandi -421302
PARIVESH (Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub)	<ul> <li>Subject: Grant of Environmental Cleara under the provision of EIA Not</li> <li>Sir/Madam,</li> <li>This is in reference to your a in respect of project submitted SIA/MH/INFRA2/420990/2023 date environmental clearance granted t</li> <li>1. EC Identification No.</li> <li>2. File No.</li> <li>3. Project Type</li> <li>4. Category</li> <li>5. Project/Activity including Schedule No.</li> <li>6. Name of Project</li> <li>7. Name of Company/Organization</li> <li>8. Location of Project</li> <li>9. TOR Date</li> </ul>	ance (EC) to the proposed Project Activity ification 2006-regarding application for Environmental Clearance (EC) to the SEIAA vide proposal number d 09 Mar 2023. The particulars of the o the project are as below. <b>EC23B038MH110874</b> SIA/MH/INFRA2/420990/2023 New B 8(a) Building and Construction projects Proposed Residential Cum Commercial Building at Survey No. 133/1, 133/2/A/1,
	Noto: A valid onvironmental clearan	se shall he one that has EC identification

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/420990/2023 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

То

2

M/s.Padma -Disha paradise, Survey No. 133/1, 133/2/A/1, 133/2/2, 133/2/3, 134/12,135/6/A & 135/5b, Village - Temghar, Taluka - Bhiwandi, District-Thane.

> Subject : Environment Clearance for Proposed Residential Cum Commercial Building at Survey No. 133/1, 133/2/A/1, 133/2/2, 133/2/3, 134/12,135/6/A & 135/5b At Village - Temghar, Taluka - Bhiwandi, District-Thane by M/s.Padma -Disha paradise.

Reference : Application no. SIA/MH/INFRA2/420990/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 201<sup>st</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 265<sup>th</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 24<sup>th</sup> August, 2023.

Z.	Brief information of the		<u>u</u>				
Sr. No.	Description	Details					
1	Proposal number	1	PARIVESH Proposal No.: SIA/MH/INFRA2/420990/2023				
2	Name of the project	Proposed Res	side	ential Cum Commercial Building			
3	Project Category	8 (a) B2					
4	Type of Institution	Private					
5	Project proponent	Name Regd. office address Contact	• • •	Mr. Krishna Gajengi Authorized Signatory M/s Padmadisha Paradise M/s PADMADISHA PARADISE Ashok Nagar, Building No.8A-001, Kalyan Road, Post Dandekarwadi, Bhiwandi, District-Thane 8007032000			
		number e-mail	•	Padmadishaparadise6@gmail.com			
6	Consultant	Enviro Resources NABET/EIA/2225/RA0277					
7	Applied for	New Greenfield Project					

Brief Information of the project submitted by you is as below:-

_			Survey No. 133/1,1									
8	Locat	ion of the Project		,135/6/A &135/5bVillage - Temphar, Taluka -								
9	Latitu	de and Longitude	Latitude:19°16'21.8	Bhiwandi, District-Thane, State-Maharashtra Latitude:19°16'21.82"N								
10			Longitude:73° 4'47.	56"E .								
10		Area (m2)	10,162.08									
11		ctions (m2)	869.64									
12		$\frac{\text{lot area (m2)}}{1}$	21 1928 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 1939 - 193	9292.44								
13		nd coverage (m2) & $\frac{2}{3}$	and the second second second	<u></u>								
14		rea $(m^2)$	35,060.78									
15		FSI (m <sup>2</sup> )	16921.33	<u>na dia</u>	r							
16	-	osed built-up area (FS 1 FSI) (sq.m.)	51982.11									
17		A (m2) approved by ing Authority till dat	e Applied									
18		r EC details with Construction area, if	Not Any			5. 19. 19. 19.						
19	per ea	ruction completed as arlier EC (FSI + Non sq.m.)	Not Any									
20			ends: Floor = F, Parking	g = Pk. Podiu	ım = Po. Stil	t						
	2 - 2 - 2		Upper Ground = UG, H isting building-Not Any Configuration	y, Building C Building		1: Remarks						
		BUILDING -1 WING A	STILT+12	36.70	72 Flats	Completed						
	2	BLDG 1- WING B PART	STILT+12	36.70		Completed						
	<b>3</b> .	BLDG 1- WING B PART	STILT+8	25.50	76 Flats	Completed						
	4	BLDG 1- WING C	STILT + 8 FLOORS	25.50		Completed						
	5	BLDG 2 METROSKYLINE	G+2 COMM. +3 to 25 FLOORS	76.35	10 shops, 18 offices, 110 flats	Under construction						
	6	BUILDING 3	BASEMENT+ LOWER GROUND + GROUND+ PODIUM I + PODIUM 2+ 3RD FLOOR	100	6 shops, 218 flats	Proposed						
	Tetal	number of terror	AMENITIES+ 4 TO 31 FLOORS									
21	and sl	number of tenement: hops	s Tenements:476 Shops:16									

		Offices:18				
22	Total Population	Total expected Population:2183				
	Total water Requirement	Dry Season (CMD)		Wet Season (CMD)		
23		Fresh water	230	Fresh water	230	
		Swimming pool		Swimming		
		Flushing	98	Flushing	98	
		Gardening		Gardening	00	
	. 1944 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 1947 - 194	Total	339	Total	328	
		Waste water generation	260	Waste water generation	260	
24	Under Ground Tank (UGT) location	Dedicated groun	d water tank	t below each building.		
25	Source of water	Bhiwandi Nizampura City Municipal Corporation (BNCMC)				
26	STP Capacity & Technology	STP Capacity: 286 KLD STP Technology: Moving Bed Biofilm Reactor (MBBF				
27	STP Location	On ground	ning and an			
28	Sewage Generation CMD & % of sewage discharge in sewer line	Sewage Generation CMD: 260 % of sewage discharge in sewer line:				
		Туре	Quantity (Kg/day	Treatme dispos		
29	Solid Waste Management	Dry waste	9		Will be collected by BNCMC	
	during Construction Phase	Wet waste	4	Will be collected by BNCMC		
		Construction waste	13655.24 CUM	Will be used within the site for backfilling.		
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Туре	Quantity (Kg/d)	Treatment / disposal		
		Dry waste	437	Will be collected by BNCMC		
		Wet waste	655	Will be collected by BNCMC		
		e- waste	6	Will be handed over to authorized vendors.		
		STP Sludge	39	Will be used as manure for landscaping.		
		OWC Capacity:700 Kg/day				
31	R.G. Area in sq.m.					
		RG Required		929.24		
		RG provided	artn   1583.0	1583.00		

		RG provided on ground 1583.00			
		Total 1583.00			
		Existing trees on site:			
		Number of trees to be Planted:210 a. In RG Area: 116			
		b. In Miyawaki Plantation (with Area):00 Number of trees to be cut: 00			
	· · · · · · · · · · · · · · · · · · ·	umber of trees to be transplanted:00			
20	Power Requirement	During Operation Phase:			
32		Details			
		Connected load (kW) 2988			
		Demand load (kW) 1312			
33	Energy Efficiency	<ul><li>a. Total Energy saving (%):20</li><li>b. Solar energy (%):5</li></ul>			
34	D.G. set capacity	600 KVA x 1 Nos			
35	No. of 4-W & 2-Wwith 25% EV	We have provided 30% (2W- 35 and 4W-43) EV Parking of the total parking proposed.			
36	No. & capacity of Rain water harvesting tanks /Pits	3 Nos. of Rain water harvesting Pits are proposed. Capacity of Rain water harvesting Pits :43.83 cum/day			
37	Project Cost	Rs. 140 Cr			
38	EMP Cost	Capital Cost: Rs. 120.23 Lakhs O & M Cost: Rs. 35.05 Lakhs/Annum			
39	CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018				
40	Details of Court Cases /litigationsw.r.t the project and project location, if any.	Not Any			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 265<sup>th</sup> (Day-1) meeting held on 24<sup>th</sup> August, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

### Specific Conditions:

### A. SEAC Conditions-

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.

- 2. PP to use advanced technologies for dust suppression in addition to sprinkling of water in construction phase & include the cost of same in construction phase EMP.
- 3. PP to submit revised water balance chart by changing/removing the use of excess treated water for car washing; PP to reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/agency/third party regarding use of excess treated water.
- 4. PP to submit plan to reduce retrieval time for evacuation of both vehicles and human population in case of disaster.
- 5. PP to explore 10% RG area in to Miyawaki planation & include the cost of same in EMP; PP to revise tree list including trees to be planted in Miyawaki plantation; PP to submit details of total nos. of trees after development.
- 6. Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.
- 7. PP to submit revise Architect certificate with chronology of building approvals i.e. CCs, OCs received & building wise, FSI, Non-FSI area wise, configuration wise construction done on site.

#### B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 929.20 m2 on mother earth without any construction. Local planning authority to ensure the compliance of the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
  - 5. SEIAA after deliberation decided to grant EC for-FSI- 25092.77 m2, Non FSI-16150.31 m2, total BUA-41243.08 m2. (Plan approval No- outward no 111/2022-23/ TPD-2085, dated 12.07.2023) (Restricted as per approval)

### **General Conditions:**

### a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction

workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

### B) Operation phase:-

I. a) The solid waste generated should be properly collected and segregated. b) Wet waste

should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on

the website of the Company by the proponent.

XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

#### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without

prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Thane.
- 6. Commissioner, Bhiwandi Nizampur Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Kalyan.

Signature Not Verified Digitally signed by Shri Pravin C. Darade , I.A.S. Member Secretary Date: 9/27/2023 9.31:47 PM File No. - SIA/MH/INFRA2/420990/2023 Date of Issue EC - 27/09/2023 Page 11 of 11

EC Identification No. - EC23B038MH110874